बोलपत्र कागजातमा सच्याईएको बारे

संशोधन प्रकाशित मिति:- २०७६/११/२१

Supply and Installation of 6 - Passengers Capacity lift with necessary civil work, KRM-34/076/077 मा तपशिल बमोजिम संशोधन गरिएको व्यहोरा सम्बन्धित सबैमा जानकारीका लागि अनुरोध छ ।

- 9. BOQ को सि.न. 9 को Unit महलमा No. गरिएको ।
- २. Lift को टेक्निकल Specification संलग्न गरिएको ।

SPECIFICATION SHEET:

I. EQUIPMENT SHPECIFICATIONS

THIS PROPOSAL INCLUDES ALL REQUIRED MATERIALS TO GIVE THE FOLLOWING RESULTS WHEN INSTALLED AND COMMISIONED

6 pax Lift			
PRODUCT	:	-	
<u>DETAILS</u>	:	-	
CAPACITY (kgs)	:	Min 408 Kg	
SPEED (mps)	:	1 mps	
RISE (m)	:	19.2 m	
<u>STOPS</u>	:	7 Stops With(all opening on the same side)	
CONTROLLER TYPE	:	ACD3-MRL	
<u>DRIVE</u>	:	VF Regenerative (Closed Loop)	
POWER SUPPLY	:	400/415 Volts (3 Phase AC)	
<u>OPERATION</u>	:	Full collective operation	
CAR GROUP	:	One car (simplex)	
MACHINE	:	Permanent Magnet synchronous motor	
TRACTION MEDIA	:	Flat Coated Steel Belt	
<u>CAR FINISH</u>	:	 Rear Mid Panel = Stainless Steel #4(Hairline) Rear Corner Panels = Stainless Steel #4(Hairline) Side Mid Panels = Stainless Steel #4(Hairline) Side Corner Panels = Stainless Steel #4(Hairline) Front Panels = Stainless Steel #4(Hairline) 	
FALSE CEILING TYPE	:	CD-41	
FLASE CEILING FINISH	:	Stainless Steel Finish	
VENTILLATION	:	Cross flow fan	
HAND RAILS	••	Stainless Steel Mirror Finish Handrails on rear car panels	
<u>FLOORING</u>	••	Vinyl Tiles for flooring	
CAR DOOR FINISH	:	Stainless Steel #4(Hairline)	
LANDING DOORS FINISH	:	Stainless Steel #4(Hairline)	
FIRE RATED DOORS	:	Fire rating-60mins	
PIT DEPTH	•	1350	
OVERHEAD		4200	

HOISTWAY DIMENSIONS (W x D – mm)	:	1600 mm W x 1570 mm D
CAR DIMENSIONS (W x D x H - mm)	:	1000 mm W x 1100 D x 2200 mm H
CAR & HOISTWAY DOOR TYPE	:	Telescopic Opening Doors[TLD]
DOOR OPENING (W x H - mm)	:	800 mm W x 2000 mm H
DOOR OPERATOR	:	DC Door Operator
COP	:	Gien Buttons in Stainless Steel #4(Hairline)
CAR POSITION INDICATOR	:	Monochrome LCD Display
HALL FIXTURES	:	02000
HALL FIXTURE FACE PLATE	:	Stainless steel #4(Hairline)
HALL BUTTON ARRANGEMENT	:	Hall Button with HPI
STANDARD FEATURES	:	 Anti-nuisance Car Call Protection Independent Service (for Duplex only) Overload Device Nudging Emergency Firemen's Service Emergency Car Light Unit Infrared Curtain Door Protection Door Time Protection Emergency Alarm Button Extra Door Time of Lobby & Parking Door Open/Close Button Manual Rescue Operation Belt Inspection Drive Auto Fan Cut Off
OPTIONS INCLUDED	:	 Automatic Rescue operation Voice Synthesizer Intercom.